$\frac{ALCOTEST\ CERTIFICATIONS\ INDEX}{\underline{06/10/2015}}$

ARWF-0394

ITEM#1	- NJSP OFFICER'S ALCOTEST CREDENTIALS (3PAGES)
ITEM#2	- CERT OF ANALYSIS SIMULATOR SOLUTION 0.10
ITEM#3	- CERT OF ANALYSIS SIMULATOR SOLUTION 0.04
ITEM # 4	- CERT OF ANALYSIS SIMULATOR SOLUTION 0.08
ITEM#5	- CERT OF ANALYSIS SIMULATOR SOLUTION 0.16
ITEM#6	- NIST CERT
ITEM#7	- ALCOTEST CU34 SERIAL #DDWES3-0196
ITEM # 8	- ALCOTEST CU34 SERIAL #DDWES3-0203
ITEM#9	- ALCOTEST CU34 SERIAL #DDWES3-0205
ITEM # 10	- ALCOTEST TEMPERATURE PROBE SERIAL # DDWAP2-016
ITEM # 11	- TRPD ALCOTEST 7110 MK111-C SERIAL # ARWF-0394
ITEM # 12	- TRPD ALCOTEST CU34 SERIAL # DDAN-0040
ITEM # 13	- TRPD ALCOTEST TEMP PROBE SERIAL # DDXKP2-444
ITEM # 14	- ALCOTEST 7110 CALIBRATION RECORD
ITEM # 15	- ALCOTEST 7110 CALIBRATION CONTROL TESTS
ITEM # 16	- ALCOTEST 7110 CALIBRATION LINEARITY TESTS
ITEM # 17	- NJSP NEW STANDARD SOLUTION REPORT
ITEM # 18	- CERTIFICATE OF ANALYSIS SIMULATOR SOLUTION (14B127)
ITEM # 19	- ALCOTEST CARDS/SOLUTION CHANGE OPERATOR

item 1 of 19

DEPARTMENT OF :
THE THE BULLET SAFER
Till This is to certify that
Joseph S. Dellanoce
New Jersey State Police
IS QUALIFIED AND COMPETENT TO CONDUCT OFFICE A SPEAR ANALYSES PURSUANT TO CHAPTER 142 OF THE LAWS OF 1966 IN THE OPERATION OF THE BY AND YZEY
GIVEN UNDER MY HAND AT TRENTON NEW DESEXUATES 13th DAY OF Dec.
GIVEN UNDER MY HAND AT TRENTON NEW JERSEY THIS DAY OF TWO THOUSAND AND 01
Cua Table MT attorney general
NEW JERSEY STATE POLICE STATE OF NEW JERSEY

•			•	
. DEPART	MENT OF		•	
Nam and H	ublir	· 🕿		
Whis is to	certify that	$\mathcal{P}_{\mathcal{E}}$	tf	
Ma	TETTER voters		et.	
Tocobs S	Dalla		Ţ	
Joseph S.			_	
New Jersey	State:	olice		
15 and 15	J			
IS QUALIFIED AND COMPETENT TO CONDUCT CHEMIC				OF.
THE LAWS OF 1966 IN THE OPERATION OF THE			ANT TO CHAPTER 142 I	OF.
\$2(<u>**</u>				of.
THE LAWS OF 1966 IN THE OPERATION OF THE	Alcotes	st 7110 N	AKIII-C	of. . · '
THE LAWS OF 1966 IN THE OPERATION OF THE A METHOD TO DETERMINE INTOXICATION. GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY-THE	Alcotes 29th	st 7110 N	AKIII-C	of. .• *
THE LAWS OF 1966 IN THE OPERATION OF THE A METHOD TO DETERMINE INTOXICATION. GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY-THE TWO THOUSAND AND ADAPT A	Alcotes 29th	DAY OF	MATCH March	or -
THE LAWS OF 1966 IN THE OPERATION OF THE A METHOD TO DETERMINE INTOXICATION. GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY-THE	Alcotes 29th	st 7110 N	MKIII-C March	or -

DEPARTMENT OF HALL BUILDING THE BUILDIN	Safe
Francisco	My of January
January Jacob A SPERINTENESSE SERVICE	ATTORNEY GENERALL STATE OF NEW HELESY

PRWF-O.	394
---------	-----

	Refresher Course	1
1. 12/152/01	APLACET.C.	instructor Potter
2. <u>).7/~U</u>]	6'CDA.	(Puter
3. <u>10-3-05</u>	ACTC	a Stanba
4		
5		
6		
7		
В		
9.		_

ORIGINAL COURS		· · · · · · · · · · · · · · · · · · ·
DATE	Refresher Cours	
1. タンジン	PLACE	' INSTRUCTOR
- / / -	UC P P	- (1077/28
14/1/09	OLPA.	- Ochran Strank
3. 7/20/11_	STOCKTON:	Oda Con Con
4.11/20/13_	GLPA	Ada City
5. 1/23/15	OC PO	- Same romes
6.		- Man Janes
7,		- '
		
^{8.}	· .	
9		*

'y .	Refresher Cours	e
DATE ,	PLACE	INSTRUCTOR
1.12/7/09	ocpa	Udam Stank
2 7/20/11	STOCKTON	Odam Stanbas
3 11/20/13	GLPA	adam Stanky
4 1/23/15	OCPA_	adam Stank
5.		_
6.		·
7.	·	
8.		
9:		

11cm 1 0119

ARWF. 0394

Feb 20 2008 12:08 P.02



JON S. CORZINE
GOVERNOR

State of New Jersey
Office of the Attorney General
Department of Law and Rublic Safety
PO BOX 080
TRENTON, N. 08625-0080

ANNE MILGRAM Allomey General

January 14,2008

Re: Breath Test Coordinator/Instructor, Certification - Trooper Joseph S. Dellanoce #6027

Dear Colonel Fuentes:

Pursuant to the provisions of N.J.A.C. 13:51-2.1 (b) and (c), as adopted and promulgated under the provisions of N.J.S.A. 39:4-50.3, 39:3-10.25 and 12:7-56, I hereby approve Trooper Joseph S. Dellanoce #6027, as a duly certified Breath Test Coordinator/Instructor. This approval is effective immediately.


Very truly yours,

Anne Milgram
Attorney General

jk

Trooper Joseph S. Dellanoce #6027, Alcohol/Drug Test Unit, Division of State Police Lt. Mark Kolodzieski, Unit Head, Alcohol/Drug Test Unit, Division of State Police item 1 of 19

ARWF-0394



This is to certify that

Joseph S. Dellanoce #6027

has successfully completed the two day Draeger Safety Diagnostics, Inc. Operator Training and Preventive Maintenance Course on the New Jersey specific Alcotest® 7110 MKIII-C and is hereby certified as a qualified

Operator Trainer and Maintenance Technician

Completion of this course qualifies this individual to train and certify Operators in the proper use and operation as well as perform Preventive Maintenance on the New Jersey specific Alcotests 7110 MKIII-C.

Date: 4/12/2007

Instructor: Hansueli Ryser

PROPER

1km 2 of 19

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Lt. Governor



ARWF-0394

State of New Jersey Office of the Attorney General

DEPARTMENT OF LAW AND PUBLIC SAFETY

DIVISION OF STATE POLICE POST OFFICE BOX 7068 WEST TRENTON, NJ 08628-0068

(609) 882-2000

JOHN J. HOFFMAN Acting Attorney General

COLONEL JOSEPH R. FUENTES Superintendent

CERTIFICATION OF ANALYSIS 0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 10/23/2013

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 131122

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.1212 to 0.1222 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. * The manufacturer's expiration date for this lot of breath alcohol simulator solution is September 17, 2015.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D.

Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 28



"An Internationally Accredited Agency"



Itcm 3 of 19

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Lt. Governor



ARWF--0394

State of New Jersey Office of the Attorney General

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068

WEST TRENTON, NJ 08628-0068 (609) 882-2000 JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES

Superintendent

CERTIFICATION OF ANALYSIS 0.040 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0469 to 0.0469 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 10/25/2013

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 131120

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of <u>0.0484</u> to <u>0.0489</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is September 13, 2015.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworm to and subscribed before me this

__ day of

October, 201

Notary

Linds I. Desertie. Netwiy Public; New James My Conventation Baptims 6-17-14



"An Internationally, Accredited Agency"



Han 4 of 19

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Lt. Governor



ARWF-0394

State of New Jersey Office of the Attorney General

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068

WEST TRENTON, NJ 08628-0068 (609) 882-2000 JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendent

CERTIFICATION OF ANALYSIS 0.080 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0939 to 0.0997 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 10/31/2013

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 131121

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of <u>0.0959</u> to <u>0.0971</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is September 16, 2015.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D.

Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 1st day of Mouleville 2013.

Notary

MARY ELIZABETH MCLAUGHLIN NOTARY PUBLIC OF NEW JERSEY MY COMMISSION EXPIRES 12-24-2013

"An Internationally Accredited Agency"



14in 5 of 19

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Lt. Governor



ARW F-0394

State of New Jersey Office of the Attorney General

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068

WEST TRENTON, NJ 08628-0068 (609) 882-2000 JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendeni

CERTIFICATION OF ANALYSIS 0.16 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1878 to 0.1994 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 8/14/2014

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 14H131

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of <u>0.1925</u> to <u>0.1944</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is <u>August 5, 2016</u>.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali'M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this for day of Aurila + , 201

MARY ELIZABETH MCLAUGHLIN

ID # 2052190 NOTARY PUBLIC STATE OF NEW JERSEY My Commission Expires Dec. 24, 2018

"An Internationally Accredited Agency"





Calibration

Certificale No. 1750-01

Calibration complies with ISO/IEC 17025, ANSI/NCSL Z540-1, and 9001

Cert. No.: 4000-5574138

Traceable® Certificate of Calibration for Digital Thermometer

Manufactured for and distributed by: VWR International, LLC, Radnor Corporate Center, Bldg 1, Ste 200, 100 Matsonford Road, Radnor, PA 19087 Instrument Identification:

Model: 61220-601

S/N: 130754753

Manufacturer: Control Company

Standards/Equipment:

<u>Description</u> Temperature Calibration Bath TC-179	<u>Serial Number</u> A45240	<u>Due Date</u>	NIST Traceable Reference
Thermistor Module Temperature Probe Temperature Calibration Bath TC-231	A17118 128 A79341	2/13/14 2/20/14	1000332071 6-B48Z9-30-1
Thermistor Module Temperature Probe Temperature Calibration Bath TC-218	A17118 3039 A73332	2/13/14 2/20/14	1000332071 6-B48Z9-1-1
Thermistor Module Temperature Probe Temperature Calibration Bath TC-275	A27129 5202 B16388	10/25/14 11/30/14	1000346002 . 15-B15PW-1-1
Digital Thermometer PRT Temperature Probe	B16815 02022	8/12/14 8/14/15	1000341967 B3812004

Certificate Information:

Technician: 68 Test Conditions: Procedure: CAL-06

33.0 %RH 1033 mBar

Cal Date: 12/12/13

Cal Due: 12/12/15

Calibration Data: (New Instrument)

			/							
Unit(s)	Nominal	As Found	In Tol	Nominal	As Left	In Tol	Min	Max	±U	TUR
°C		N.A.		0.001	0.001	Y	-0.049	0.051	0.013	3.8:1
•c		. N.A.		24.999	25.001	Y	24.949	25.049	0.023	2.2:1
•c		N.A.		50.003	50.000	Y	49.953	50.053	0.014	3.6:1
°C		N.A.		100.001	100.005	Y	99.951	100.051	0.018	2.8:1

This Instrument was calibrated using Instruments Traceable to National Institute of Standards and Technology.

A Test Uncertainty Ratio of al least 4:1 is maintained unless otherwise stated and is calculated using the expanded measurement uncertainty. Uncertainty evaluation includes the instrument under lest and is calculated in accordance with the ISO "Guide to the Expression of Uncertainty in Measurement" (GUM). The uncertainty represents an expanded uncertainty using a coverage factor k=2 to approximate a 95% confidence level. In tolerance conditions are based on test results falling within specified limits with no reduction by the uncertainty of the measurement. The results contained herein relate only to the item calibrated. This certificate shall not be reproduced except in full, without written approval of Control Company.

Nominal=Standard's Reading; As Left=Instrument's Reading; In Tol=in Tolerance; Min/Max=Acceptance Range; ±U=Expanded Measurement Uncertainty; TUR=Test Uncertainty Ratio; Accuracy=±(Max-Min)/2; Min = As Left Nominal(Rounded) - Tolerance; Max = As Left Nominal(Rounded) + Tolerance; Date=MM/DD/YY

Pind Rodrigues

Maintaining Accuracy:

In our opinion once calibrated your Digital Thermometer should maintain its accuracy. There is no exact way to determine how long calibration will be maintained. Digital Thermometers change little, if any at all, but can be affected by aging, temperature, shock, and contamination.

Recalibration:

For factory calibration and re-certification traceable to National Institute of Standards and Technology contact Control Company,

CONTROL COMPANY 4455 Rex Road Friendswood, TX 77546 USA Phone 281 482-1714 Fax 281 482-9448 service@control3.com www.control3.com

Control Company is an ISO 17025:2005 Calibration Laboratory Accredited by (A2LA) American Association for Laboratory Accreditation, Certificate No. 1750.01.

Control Company is ISO 9001:2008 Quality Certified by (DNV) Del Norske Veritas, Certificate No. CERT-01805-2006-AQ-HOU-RVA.

International Laboratory Accreditation Cooperation (ILAC) - Multilateral Recognition Arrangement (MRA).

Page 1 of 1

Traceable® is a registered trademark of Control Company

© 2009 Control Company



Dräger

CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Model: ALCOTEST® CU34 Model: MARK IIA Other:		Serial Number: DDWES3-0196
Certification Date 9-19-14	Technician	Re-Certification Due Date 9-19-15



Dräger

CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Model: ALCOTEST® CU: Model: MARK IIA Other:	·	Serial Number:
Certification Date 9-22-14.	Technician	Re-Certification Due Date 9-22-15




Dräger


CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

í	Model: ALCOTEST® CU34 Model: MARK IIA Other:		Serial Number: DDUE S3-0205
	Certification Date 9-22-14	Technician	Re-Certification Due Date 9-22-15








Dråger

CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Model: ALCOTEST® CU34 Model: MARK IIA Other:		Serial Number: DAN-2040
Certification Date 3-12-15	Technacian	Re-Certification Due Date



Hem. 14 of 19 Alcotest 7110 Calibration Record PRWF-

Equipment

Alcotest 7110 MKIII-C

Location:

TOMS RIVER P.D.

Calibration File No.: Certification File No.: 01255

01266

Linearity File No.: 01256 Solution File No.: 01265

Sequential File No.:

01266

WET 0.100% Solution Control Lot: 13I122

Model No.: CU-34

Lin. Date:

File Date:

Calib. Date: 06/10/2015

Cert. Date: 04/07/2015

Soln. Date: 05/27/2015

04/07/2015

06/10/2015

Serial No.: DDAN-0040 Expires: 09/17/2015

Bottle No.: 0159

Coordinator

Calibrating Unit:

Control Solution %:

Last Name: DELLANOCE

First Name: JOSEPH

MI: S

JAH # 6027

Badge No.: 6027

Date: 06/10/2015

Serial No.: ARWF-0394

Calib. No.: 00031

Cert. No.: 00021

Lin. No.: 00021

Soln. No.: 00203

*Black Key Temperature Probe Serial....# DDWAP2 - 016

*Digital NIST Temperature Measuring System Serial.....#

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with, the current "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false. I am subject to punishment.

Hem 15 of 19

Alcotest 7110 Calibration Certificate 1980 -0394

Part I - Control Tests

Equipment Location:	Alcotest 7110 MKIII-C			Serial No.: ARWF-0394
Calibration File No.: Certification File No.: Linearity File No.: Solution File No.: Sequential File No.:	TOMS RIVER P.D. 01266 01267 01256 01265 01267	Calib. Date Cert. Date: Lin. Date: Soln. Date: File Date:		Calib. No.: 00031 Cert. No.: 00022 Lin. No.: 00021 Soln. No.: 00203
Calibrating Unit: Control Solution %: Solution Control Lot:	WET 0.100% 13I122	Model No.:	CU-34	Serial No.: DDAN-0040 Expires: 09/17/2015 Bottle No.: 0159
Function	Result	Time	Temperature	Comment(s)
Ambient Air Blank	%BAC 0.000%	HH:MM 09:26D	Simulator (°C)	or Error(s)
Control 1 EC	0.099%	09:27D	33.9°C	*** TEST PASSED ***
Control 1 IR	0.100%	09:27D	33.9°C	*** TEST PASSED ***
Ambient Air Blank	0.000%	09:27D		
Control 2 EC	0.099%	09:28D	33.9°C	*** TEST PASSED ***
Control 2 IR	0.100%	09:28D	33.9°C	*** TEST PASSED ***
Ambient Air Blank	0.000%	09:28D		
Control 3 EC	0.099%	09:29D	33.9°C	*** TEST PASSED ***
Control 3 IR	0.100%	09:29D	33.9°C	*** TEST PASSED ***
Ambient Air Blank	0.000%	09:29D		

All tests within acceptable tolerance

Coordinator

Last Name: DELLANOCE

First Name: JOSEPH

MI: S

Badge No.: 6027

Date:

06/10/2015

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with, the current "Calibration Check Procedure for Alcotest 7110,"as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

1/em 16 of 19 Alcotest 7110 Calibration Certificate / WW-0394

Part II - Linearity Tests

Equipment Location:	Alcotest 7110 TOMS RIVER				Serial No.:	ARWF-0394
Calibration File No.:	01266		Calib. Date	e: 06/10/2015	Calib. No.:	00031
Certification File No.:			Cert. Date:	: 06/10/2015	Cert. No.:	00022
Linearity File No.:	01268		Lin. Date:	06/10/2015	Lin. No.:	00022
Solution File No.:	01265		Soln. Date	: 05/27/2015	Soln. No.:	00203
Sequential File No.:	01268		File Date:	06/10/2015		
Calibrating Unit:	WET		Model No.	: CU-34		DDWE S3-0196
Control Solution %:	0.040%				Expires:	09/13/2015
Solution Control Lot:	13I120				Bottle No.:	0980
Calibrating Unit:	WET		Model No.	: CU-34	Serial No.	DDWE S3-0203
Control Solution %:	0.080%				Expires:	09/16/2015
Solution Control Lot:	13I121				Bottle No.:	
Calibrating Unit:	WET		Model No.	: CU-34	Serial No.:	DDWE S3-0205
Control Solution %:	0.160%				Expires:	08/05/2016
Solution Control Lot:	14H131				Bottle No.:	1214
				_	_	
Function		Result	Time	Tomporatura	Com	man+(a)
Function		Result %BAC	Time HH·MM	Temperature		ment(s)
		%BAC	HH:MM	Temperature Simulator (°C)		ment(s) rror(s)
Ambient Air Blank Control 1 EC		%BAC 0.000%	HH:MM 09:54D	Simulator (°C)	or Er	ror(s)
Ambient Air Blank		%BAC 0.000% 0.040%	HH:MM 09:54D 09:55D	Simulator (°C) 33.9°C	or Er	ror(s) PASSED ***
Ambient Air Blank Control 1 EC		%BAC 0.000% 0.040% 0.041%	HH:MM 09:54D 09:55D 09:55D	Simulator (°C)	or Er	ror(s)
Ambient Air Blank Control 1 EC Control 1 IR		%BAC 0.000% 0.040%	HH:MM 09:54D 09:55D 09:55D 09:56D	Simulator (°C) 33.9°C 33.9°C	or Er *** TEST I *** TEST I	PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank		%BAC 0.000% 0.040% 0.041% 0.000%	HH:MM 09:54D 09:55D 09:55D	Simulator (°C) 33.9°C 33.9°C	or Er *** TEST I *** TEST I	PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC		%BAC 0.000% 0.040% 0.041% 0.000% 0.040%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D	Simulator (°C) 33.9°C 33.9°C	or Er *** TEST I *** TEST I	PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.040%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D 09:57D	Simulator (°C) 33.9°C 33.9°C	or Er *** TEST I *** TEST I *** TEST I	PASSED *** PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.040% 0.000%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D 09:57D 09:58D	Simulator (°C) 33.9°C 33.9°C 33.9°C	or En *** TEST I *** TEST I *** TEST I *** TEST I	PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.040% 0.000% 0.080%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D 09:57D 09:58D 09:59D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C	or En *** TEST I *** TEST I *** TEST I *** TEST I	PASSED *** PASSED *** PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.040% 0.080% 0.081%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D 09:57D 09:58D 09:59D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C	or En *** TEST I	PASSED *** PASSED *** PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.040% 0.080% 0.081% 0.000%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D 09:57D 09:58D 09:59D 09:59D 10:00D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	or En *** TEST F	PASSED *** PASSED *** PASSED *** PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.000% 0.080% 0.081% 0.000% 0.080% 0.080% 0.080%	HH:MM 09:54D 09:55D 09:55D 09:56D 09:57D 09:57D 09:58D 09:59D 09:59D 10:00D 10:01D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	or En *** TEST F	PASSED *** PASSED *** PASSED *** PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.080% 0.081% 0.000% 0.080% 0.080% 0.080% 0.000% 0.160%	HH:MM 09:54D 09:55D 09:55D 09:55D 09:57D 09:57D 09:58D 09:59D 10:00D 10:01D 10:01D 10:02D 10:03D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	*** TEST I	PASSED *** PASSED *** PASSED *** PASSED *** PASSED *** PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.080% 0.081% 0.000% 0.080% 0.080% 0.080% 0.160% 0.159%	HH:MM 09:54D 09:55D 09:55D 09:55D 09:57D 09:57D 09:58D 09:59D 10:00D 10:01D 10:01D 10:02D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	*** TEST F	PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR Ambient Air Blank		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.080% 0.080% 0.080% 0.080% 0.080% 0.080% 0.160% 0.159% 0.000%	HH:MM 09:54D 09:55D 09:55D 09:55D 09:57D 09:57D 09:58D 09:59D 10:00D 10:01D 10:01D 10:02D 10:03D 10:03D 10:04D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	*** TEST F	PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR Ambient Air Blank Control 5 EC Control 6 EC		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.080% 0.080% 0.080% 0.080% 0.080% 0.160% 0.159% 0.000% 0.160%	HH:MM 09:54D 09:55D 09:55D 09:55D 09:57D 09:57D 09:58D 09:59D 10:00D 10:01D 10:01D 10:02D 10:03D 10:03D 10:04D 10:05D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	*** TEST F *** TEST F	PASSED ***
Ambient Air Blank Control 1 EC Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR Ambient Air Blank		%BAC 0.000% 0.040% 0.041% 0.000% 0.040% 0.080% 0.080% 0.080% 0.080% 0.080% 0.080% 0.160% 0.159% 0.000%	HH:MM 09:54D 09:55D 09:55D 09:55D 09:57D 09:57D 09:58D 09:59D 10:00D 10:01D 10:01D 10:02D 10:03D 10:03D 10:04D	Simulator (°C) 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C 33.9°C	*** TEST F *** TEST F	PASSED ***

All tests within acceptable tolerance.

Coordinator

Last Name: DELLANOCE

First Name: JOSEPH

MI: S

Badge No.: 6027

Date: 06/10/2015

11cm 17 of 19

Calibrating Unit

ARWF-0394 501,#204

New Standard Solution Report

6/10/15

Equipment	Alcotest 7110	MKIII-C			Serial No.: A	ARWF-0394
Location:	TOMS RIVER	RP.D.				
Calibration File No.:	01266		Calib. Date:	: 06/10/2015	Calib. No.: (00031
Certification File No.:	01267		Cert. Date:	06/10/2015	Cert. No.: (00022
Linearity File No.:	01268		Lin. Date:	06/10/2015	Lin. No.: (00022
Solution File No.:	01269		Soln. Date:	06/10/2015	Soln. No.: (00204
Sequential File No.:	01269		File Date:	06/10/2015		
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.:]	DDAN-0040
Control Solution %:	0.100%					02/14/2016
Solution Control Lot:	14B127				Bottle No.: (
Function		Result	Time	Temperature	Comm	nent(s)
		%BAC	HH:MM	Simulator (°C)	or Erre	or(s)
Ambient Air Blank		0.000%	11:11D			
			11.111			
Control 1 EC		0.101%	11:11D 11:12D	34.0°C	*** TEST PA	ASSED ***
Control 1 IR		0.101% 0.100%		34.0°C 34.0°C	*** TEST PA	
Control 1 IR Ambient Air Blank		0.101% 0.100% 0.000%	11:12D	- · · ·		
Control 1 IR Ambient Air Blank Control 2 EC		0.101% 0.100% 0.000% 0.101%	11:12D 11:12D	- · · ·		ASSED ***
Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR		0.101% 0.100% 0.000% 0.101% 0.100%	11:12D 11:12D 11:13D	34.0°C	*** TEST PA	ASSED *** ASSED ***
Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank		0.101% 0.100% 0.000% 0.101% 0.100% 0.000%	11:12D 11:12D 11:13D 11:13D	34.0°C 34.0°C	*** TEST PA	ASSED *** ASSED ***
Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC		0.101% 0.100% 0.000% 0.101% 0.100%	11:12D 11:12D 11:13D 11:13D 11:13D	34.0°C 34.0°C	*** TEST PA	ASSED *** ASSED *** ASSED ***
Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC Control 3 IR		0.101% 0.100% 0.000% 0.101% 0.100% 0.100% 0.100%	11:12D 11:12D 11:13D 11:13D 11:13D 11:14D	34.0°C 34.0°C 34.0°C	*** TEST PA *** TEST PA *** TEST PA	ASSED *** ASSED *** ASSED ***
Control 1 IR Ambient Air Blank Control 2 EC Control 2 IR Ambient Air Blank Control 3 EC		0.101% 0.100% 0.000% 0.101% 0.100% 0.000% 0.100%	11:12D 11:12D 11:13D 11:13D 11:13D 11:14D 11:14D	34.0°C 34.0°C 34.0°C 34.0°C	*** TEST PA *** TEST PA *** TEST PA *** TEST PA	ASSED *** ASSED *** ASSED ***

All tests within acceptable tolerance.

On this date, I installed the above indicated "NEW SOLUTION" in acordance with Alcotest 7110 operator training and procedures established by the (NJSP) Chief Forensic Scientist.

Temperature Probe Serial Nu	mber: <u>DDXKP2 - 444</u>		N
Changed By:			I
Last Name: DELLANOCE	First Name: JOSEPH		MI: S
_	1-11111	Badge No.:	6027
Signature:	SLA # 6027	Date:	06/10/2015
	()		

Hem 18 of 19

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Lt. Governor



ARWF-0394

State of New Jersey Office of the Attorney General

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE

POST OFFICE BOX 7068

WEST TRENTON, NJ 08628-0068 (609) 882-2000 JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES

Superintendent

CERTIFICATION OF ANALYSIS 0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 3/27/2014

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 14B127

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.1202 to 0.1219 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is <u>February 14, 2016</u>.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D.

Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 28 day of ______, 2014

Notary

JOHN R LEAVER

ID # 2207138
NOTARY PUBLIC
STATE OF NEW JERSEY
My Commission Expires Dec. 14, 2017

"An Internationally Accredited Agency"



DEPARTMENT OF	ORIGINAL COURSE DATES	
·····································		her Course
Natural Authlic Safet	DATE / PLACE	
This is to certify that	11/29/08 OrPh	- Marian
	2. 7-1409 OEP.	4 Chante
Gúy E, Malrè	3. Z-22-11 OCPA	wm hoss
Doger Founship	47-25-13 DCPR	wm Com
IS QUALIFIED AND COMPETENT TO CONDUCT CHEMICAL BREATH ANALYSES PURSUANT TO CHAPTER 142 OF	5 7/11/25 DE	a Old Steeler
THE LAWS OF 1966 IN THE OPERATION OF THE ALEGOTIES 7118 MICH C	3/4/15	
A METHOD TO DETERMINE INTOXICATION. GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY-THIS 270 DAY OF NOVE MY SELF	6	
TWO THOUSAND AND FIVE	7	
	8.	
SUPERINTENDENT ATTORNEY CENERAL	9.	
SÚPEKINTÉNDENT ATTOKNEY GENERAL -NEW JEKSEY STATE POLICE STATE OF NEW JEKSEY	S.F. 293B (Rev. 06/03)	
Section 1996 Annual Control of the C	•	
DEPARTMENT OF	ORIGINAL COURSE DATES	many agreement
The state of the s	1	esher Course
and public Suc	DATE PLAC	
This is in certify that O CLIP	1.12-1007 OCA	A workers
The state of the s	27-30-09 OC DA	7 1.00
Timothy M. Sysol	3. 1-31-11 OCPA	Line P
Dover Township	100	wm hos
IS QUALIFIED AND COMPETENT TO CONDUCT CHEMICAL BREATH ANALYSES PURSUANT TO CHAPTER 142 OF	4. 1-22-13 OCPA	1: WM Com
THE LAWS OF 1966 IN THE OPERATION OF THE CONTROL TO THE CONTROL TH	5. <u>2-4-15</u> <u>oc PA</u>	win hors
GIVEN HINDER ANY UNITED TO STATE OF THE STAT	6.	
	7.	
TWO THOUSAND AND Five	8.	
Jane Kunh		
SUPERINTÉNDENT ATTORNÉ' GENERAL NEW JERSEY STATE POLICE STATE OF NEW JERSEY STATE OF NEW JERSEY	9. S.P. 293B (Rev. 06/03)	
THE DISTRICT STATES AND ADDRESS OF THE PROPERTY OF THE PROPERT	3.F. 2555 (Nev. 06/03)	•
	ODIONAL DOLLAR	
DEPARTMENT OF	ORIGINAL COURSE DATES	,
and Hublic &		fresher Course
Whis is to certify that Safer	1. /- 18-11 OC PA	ACE INSTRUCTOR
Tet Tet	2/272-17	win was
Kenneth J. Thomas Jr.	21/28/3 0000	um lynn
N	3. <u>2-4-13 OCH</u>	7 iun lun
Toms River Township	4	
IS QUALIFIED AND COMPETENT TO CONDUCT CHEMICAL BREATH ANALYSES PURSUANT TO CHAPTER 142 OF	5.	
THE LAWS OF 1964 IN THE OPERATION OF THE 220 Alcotest 7110 MKIII-C	6.	
A METHOD TO DETERMINE INTOXICATION. SUPERSEYTING 370 DAY OF SCREEN DCT	7.	
TWO THOUSAND AND NINE	·	
	B	
land freeze hulen	9.	
SUPERINTÉNDENT ATTOKNEY GENÉLAL NEW JERSEY STATE POLICE STATE OF NEW JERSEY	S.P. 293B (Rev. 07/07)	
N .	•	
	ORIGINAL COURSE DATES	
·	•	11-28-2005
DEPARTMENT OF	DATE PLA	esher Course CE
ALLE ~	1.11/26/67 OV.D.	INSTRUCTOR
and Hunin Sat	2.10/4/.00	SIN FOR THE THE
The is to mility that a Light	3. /- 3-1/ OCOC	They thinks
717	577 000	unling
Christopher W. Anderson	4. 4/4/13 CMP	2 Odan Sta D.
Toms River Police Department	5	*
IS CUALIFIED AND COMPETENT TO COMPLICE CHESTOCKER AND MANUSES FURSUANT TO CHAFTER ICL OF	6.	
IS QUALIFIED AND COMPETENT TO COMPUTE CHEMICAL SAFETY THE LAWS OF 1966 IN THE OPERATION OF THE ALL COUNTEST TITLE OF MIKE IT IT.	7.	
A METHOD TO DETERMINE INTOXICATION.	8.	
DIVEN UNDER MY HAND AT TRENTON, NEW JEESSYSTEEL LOUIS DAY OF TYO YELLTON		
TWO THOUSAND AND SEVEN	9	
1 pl,	S.P. 293B (Rev. 07/07)	
land two		